

Can reinforcement learning explain variation in early infant crying?

Arnon Lotem^a and David W. Winkler^b

^aDepartment of Zoology, Tel-Aviv University, Ramat-Aviv, Tel-Aviv 69978, Israel; ^bDepartment of Ecology and Evolutionary Biology, Cornell University, Ithaca, NY 14853. lotem@post.tau.ac.il dww4@cornell.edu

<http://www.tau.ac.il/~lotem>

<http://www.es.cornell.edu/winkler/winkler.html>

Abstract: We welcome Soltis' use of evolutionary signaling theory, but question his interpretations of colic as a signal of vigor and his explanation of abnormal high-pitched crying as a signal of poor infant quality. Instead, we suggest that these phenomena may be suboptimal by-products of a generally adaptive learning process by which infants adjust their crying levels in relation to parental responsiveness.

In applying evolutionary signaling theory to infant crying, it might be interesting to note the increasing recognition among biologists (e.g., Godfray & Johnstone 2000; Royle et al. 2002) that current theory is far too simplistic to account for the complex dynamics of parent-offspring interactions. A major problem in translating current models to reality is that the net benefit from begging or crying depends not only on the value of the resource to the offspring, but also on the probability that begging or crying will succeed in gaining this resource. Therefore, when we expect offspring to optimize their costly signaling efforts in relation to expected benefits (as required by honest signaling theory), we also expect them to somehow "know" how effective their begging and crying will be in eliciting parental response. Because signaling effectiveness can vary with environmental conditions, parental state, and competitive dynamics, it must be assessed from external cues. Reinforcement learning has been suggested as a mechanism by which offspring can adjust their begging or crying to the most effective levels (e.g., Kacelink et al. 1995; Lotem 1998; Stamps et al. 1985), and recent experiments with bird nestlings show that offspring of similar quality and physiological needs can learn to beg at remarkably different levels (Kedar et al. 2000; Rodríguez-Gironés et al. 2002). An important implication of these findings is that variation in offspring begging or crying may reflect differences in learning dynamics and personal history, rather than differences in need or quality. With this background in mind, let us now consider Soltis' suggestion that excessive crying, or colic, is a signal of vigor. While this is certainly a possibility, we doubt whether in modern societies, where food is readily available, differences in the net profitability of crying can still be large enough to produce the observed differences between colicky and non-colicky babies. In this respect, we agree with Wells (2003) that the current fitness cost of colic is probably low, and that excessive crying is no longer an indicator of high quality: the vast majority of infants today can probably afford to be colicky. The question, however, is what causes the considerable variation in the amount and intensity of crying among healthy babies? Based on what we have learned from birds, we suggest that much of the observed variation in infant crying may reflect differences in learning dynamics and history rather than infant quality or need. Like bird nestlings, human infants must also predict the net benefit of their costly signaling, and they might also be doing so by reinforcement learning. The tricky point with learning, however, is that under the same combination of costs and benefits, learning may still produce quite different behaviors as a result of differences in the dynamic sequence of the learning process. Therefore, in a population of healthy infants and wealthy parents, where actual variation in the costs and benefits of crying is low, a considerable amount of variation in crying may be a result of these differences in learning dynamics. We agree with Soltis' view that colic can be seen as merely the extreme of a natural

range of variation, but we suggest that reinforcement learning may be the key to understanding this range of variation. Colic may develop when a series of intense crying bouts (perhaps caused by a transient period of distress or illness) has been rewarded by the parents and has led to an escalation in crying. This escalation may not be easy to reverse, because the typical response of a sleepless parent would still reinforce elevated cries more than benign ones. At this stage, the general indulgence or toughness of the parents is not so important, as the key change needed is to turn around the differential reinforcement regime of intense versus benign crying. Normally, this turn-around may become possible only after physiological and developmental processes result in some reduction in infant demand, usually towards the third month of life. Only then may babies be content for longer periods of time, and parents may then be able to reinforce low-intensity crying, before it rockets up in intensity, frequently enough to change infant behavior. Changing the reinforcement regime of colicky babies during the natural peak in colic predisposition may not be easy. However, there is evidence for some success in applying behavioral treatments for colic (Wells 2003; Wolke 1993).

Let us also consider the idea that abnormal high-pitched crying (over 1000 Hz) is a signal of poor quality. The evolution of such crying is actually quite puzzling because it appears to be maladaptive: Healthy babies never exceed the 730 Hz limit when in transient pain or immediate distress, and abnormally high-pitched cries appear less effective, and may even elicit neglect or abuse. One way to explain high-pitched crying is to accept Soltis' view that chronically sick infants may unavoidably produce high-pitched calls as a by-product of their pathologies, and that in choosing between not crying at all and crying with abnormally high pitch, the latter is still more adaptive. Yet, here too, reinforcement learning may play a role. Let us assume that it is generally adaptive for babies to modulate the fundamental frequency of their cries based on past experience. What would be the effect of such a learning strategy on chronically ill babies? We suggest that as long as their parents continue to care for them, chronic stress and failure to be comforted by feeding would cause infants mainly to use, and therefore to be reinforced by, high-pitched crying. As with colic, we expect rapid escalation, because, up to the point of total neglect, parents are still more likely to respond to cries of higher frequencies than to cries of lower frequencies. The ill baby, on the other hand, may still do best by using learning to adjust his crying frequencies to the most effective levels. Under this view, abnormally high-pitched crying did not evolve as a signal of poor quality, but rather, it is an abnormal by-product of using an adaptive learning rule under pathological circumstances.